



# Nuclear and Emerging Technologies for Space 2009 (NETS-2009)

Embedded Topical Meeting at the 2009 ANS Annual Meeting  
June 14-18, 2009 ♦ Atlanta, GA

## Author Kit Guidelines

### Introduction

The Nuclear and Emerging Technologies for Space 2009 (NETS-2009) meeting will have full-length (8-10 page) technical papers, which will be peer reviewed and published on a CD-Rom that will be available at the meeting. At least one author is required to attend the meeting to present his or her paper.

Publication of papers up to 8-pages in length will be free of charge, thanks to the generous sponsorship of Lockheed Martin Space Systems Company. The author will incur a flat charge of \$100 for any additional pages.

Publications sponsored by:



### Submission of Papers

#### Step 1: Online Submission of Abstracts due by **January 16, 2008**

Authors should submit a one-page 500 word abstract (text only) with name, affiliation, address, phone, fax and email information at <http://anst.ans.org/NETS2009/CallForPapers.htm> (see Step 1 on this page). Please Indicate Topical Area Number. A tracking ID will be assigned upon submission of your abstract.

#### Step 2: Online Submission of Draft Papers by **February 27, 2009**

Once abstracts have been accepted, authors may then upload their full-length draft papers for review, also at <http://anst.ans.org/NETS2009/CallForPapers.htm> under the Electronic Paper Submission and Review link. Please name your draft files according to your paper tracking ID number (2001-draft.pdf, 2001-draft.doc). Instructions for preparation of full-length papers are noted in the Author Kit entitled: "Guidelines for Proceedings Manuscript Preparation". A template is available in both MS Word and Adobe PDF at the NETS-2009 website.

#### Step 3: Authors will be notified of paper review by **March 30, 2009**

At this time you will be notified any comments for the preparation of your final paper.

#### Step 4: Online Submission of Final Papers by **April 10, 2009**

Once draft papers are reviewed and approved, authors may then send their final papers for CD-Rom Publication via <http://anst.ans.org/NETS2009/CallForPapers.htm>. Please name your final paper files according to your paper number (2001-final.pdf, 2001-final.doc). *Note that ANS will not edit or proof read your final paper. Hard copies of papers are no longer required.*

**Please DO NOT put page numbers on your final paper.**

**In addition to your electronic files, please send to the attention of Ellen Leitschuh in the ANS publications office:**

- (1) The signed "Agreement on Copyright" (FAX: 1-708-352-6464). The lead/contact author may complete the "Agreement on Copyright" form. This is the last page of this document.

### Nuclear and Emerging Technologies for Space (NETS-09) Paper Deadlines

Submission of Abstracts: ~~December 1, 2008~~ **extended to January 16, 2009**

Submission of Draft Papers for Review: **February 27, 2009**

Author Notifications of Paper Review: **March 30, 2009**

Submission of Final Papers for CDRom Publication: **April 10, 2009**

### CONTACT INFORMATION:

Shannon Bragg-Sitton

TEL: 1-979-862-8446

FAX: 1-979-845-6443

Email: [sitton@tamu.edu](mailto:sitton@tamu.edu)

WEB:

<http://anst.ans.org/NETS2009/About.htm>

# **Guidelines for Camera-Ready Manuscript Preparation**

## **INTRODUCTION**

These guidelines are intended to assist you with preparation of your camera-ready proceedings manuscript. Please understand that the American Nuclear Society (ANS) will not edit or proofread your submitted paper. It will be published as you submitted it. Therefore, we urge you to proofread your final copy carefully before submitting.

## **HOW TO SUBMIT YOUR MANUSCRIPT**

All manuscripts are to be submitted electronically using PDF files and Word files.

## **MANUSCRIPT FORMAT**

### **General Style**

These guidelines and the accompanying template provide direction on format and style. Also, authors are advised to consult the 1990 edition of the style manual prepared by the American Institute of Physics (*AIP Style Manual*). Use of technical terms as defined in the *ANS Glossary of Terms in Nuclear Science and Technology* is encouraged.

### **Type Specifications**

All printed material including text, illustrations, and charts should appear within designated margins—dimensions are 8.5 in. (216 mm) by 11 in. (279 mm). We recommend 10-point text with 12 points of leading (spacing between lines). Use Times New Roman typeface or an equivalent. All text must be in a two-column format. Columns are 3.25 in. (8.25 cm) wide, with 0.5-in. space between columns. Leave a 1-in. margin at top and bottom and a 0.75-in. margin at right and left.

### **Paragraphs**

Indent each paragraph 0.25 in. (use a tab; do not use the space bar to indent). Single-space your text in two-column format. Your equations, figures, and tables do not need to comply with the two-column format. In other words, equations, figures, and tables may span the columns.

### **Title of Paper**

Using Roman type, center the title, which should be all capital letters, in boldfaced print. Skip four lines after title; then begin author name and author information.

### **Author Name and Author Information**

Center the author name and author information, using initial capital letters (i.e., capitalize the first letter of each significant word). Author names are Roman type. Author affiliation, street

address/box number, and city-state-country-zip, and e-mail address are italic type. If multiple authors at multiple addresses, center horizontally across the width of the page. NOTE: ANS lists only up to seven authors in the table of contents and the author index. In cases of eight or more authors, only the first author and “et al.” will be used. List the e-mail address of the first author only.

## **Abstract**

Place the abstract, less than 200 words, three lines below the address, at the left margin, in the left column; indent 0.25 in. Use italic type for the abstract text (the main text of the paper is Roman type).

## **Headings**

*First-level headings:* all capital letters, Roman number identification, flush left, Roman type, boldfaced print. Skip a line; indent text 0.25 in.; return flush left. Example:

### **I. INTRODUCTION**

*Second-level subheading:* initial capital letters (i.e., capitalize the first letter of each significant word), Roman number identification, followed by a capitalized letter, flush left, Roman type, boldfaced print. Skip a line; indent text 0.25 in.; return flush left. Example:

#### **IV.A. Results and Discussion**

*Third-level subheading:* initial capital letters (i.e., capitalize the first letter of each significant word), Roman number identification, followed by a capitalized letter and Arabic number, flush left, italic type. Skip a line; indent text 0.25 in.; return flush left. Example:

##### *I.A.1. Implications for the Future*

## **FOOTNOTES**

Footnote citations in the text should be lower-case superscript letters, outside any period or comma. Type the footnote at the bottom of the column in which the citation appears, separated from the text by a solid line, 1 in. in length. Footnotes in tables are also cited by lower-case superscript letters. These footnotes should be placed at the bottom of the table.

## **REFERENCE CITATIONS**

All references should be cited in the text in numerical order, in order of appearance, as a superscript number outside any punctuation. Do not cite a reference next to a number, abbreviation, unit of measure, or acronym, as it may be read as an exponent. In this case, write the reference citation as follows: (Ref. xx).

## **REFERENCES**

List references at the end of the paper, according to their first use in the paper. Include the following information (as applicable).

*For a book:* author(s) (all capital letters), book title (initial capital letters [i.e., capitalize the first letter of each significant word], italic type), page or chapter numbers, publisher, city, state, year (in parentheses). Example:

S. GLASSTONE and W. H. JORDAN, *Nuclear Power and Its Environmental Effects*, p. 50, American Nuclear Society, La Grange Park, Illinois (1980).

*For a journal paper:* author(s) (all capital letters), optional paper title (initial capital letters [i.e., capitalize the first letter of each significant word], Roman type, within quotation marks), abbreviated journal name (italic type), volume number (boldfaced print), issue number (italic type), page number (first page of journal paper), year (in parentheses). Example:

T. CRACIUNESCU, "A Neural Network Model for the Tomographic Analysis of Irradiated Nuclear Fuel Rods," *Nucl. Technol.*, **146**, 1, 65 (2004).

*For a proceedings paper:* author(s) (all capital letters), paper title (initial capital letters [i.e., capitalize the first letter of each significant word], Roman type, within quotation marks), title of proceedings (initial capital letters [i.e., capitalize the first letter of each significant word], italic type), location of meeting, dates of meeting, volume number, page number, publisher, year (in parentheses). Example:

C. B. BAXI et al., "Evolution of the Power Conversion Unit Design of the GT-MHR," *Proc. Int. Congress on Advances in Nuclear Power Plants (ICAPP '06)*, Reno, Nevada, June 4–8, 2006, p. 233, American Nuclear Society (2006) (CD-ROM).

## **EQUATIONS**

Type all equations. Displayed formulas should have one line of space above and one below. Type equation numbers in arabic numerals in parentheses flush with the right margin. Number displayed equations consecutively. Long tables should be treated as illustrations.

## **UNITS OF MEASURE**

Use SI units. Conventional (non-SI) quantities may follow parenthetically if the author desires.

## **TABLES**

Tables should be designed to fit one- or two-column widths (85 and 173 mm, respectively). The height of lower-case letters should not be less than 1.5 mm after reduction; thus, a figure or a table that must be reduced to one-third its original size should have lower-case letters at least 4.5 mm high. Each table must be numbered consecutively with Roman numerals and must have a complete title, placed at the top of the table.

## **FIGURES**

Figures should be high-quality laser-printed graphics, line drawings, or black-and-white photographs, with the axes, curves, components, equipment, or other items of interest clearly labeled. Figures should be consecutively numbered in Arabic numerals in the order they are

called out in the text. A descriptive caption must be prepared for each figure and placed at the bottom of the figure.

## **APPENDIXES**

Appendixes should precede the acknowledgments.

## **NOMENCLATURE**

Nomenclature should precede the references.

## **ACKNOWLEDGMENTS**

All acknowledgments for technical and financial support should go in this section, which follows the text but precedes the references.

## **ACRONYMS**

If an acronym is used more than once, define it at first use followed by the acronym in parentheses; then use the acronym from that point, e.g., liquid phase epitaxy (LPE) or General Electric (GE).

## **PAGE NUMBERING**

Do not automatically paginate your pages. ANS will consecutively number the proceedings.

## **PREPARATION OF ARTWORK/CAMERA-READY ILLUSTRATIONS**

Proper figure and artwork preparation is essential for optimum reproduction of tables, line drawings, and photographs. Figures **MUST** be positioned on the page and will be reproduced full size. Figures should be clear and legible but sized to make economical use of space. Similar or related figures should be of uniform size with uniform lettering. All figures should be called out in the text as well as properly labeled and captioned. (Position artwork on the page near the first text that refers to it—**DO NOT** group the artwork at the end of the paper.)

### **Photographs**

Continuous-tone photographs are reproduced in printed books as halftones. The halftone process converts photographs into a "screened" pattern of black-and-white dots, giving the appearance of a gray scale. Please do not use photocopies of photographs on the manuscript page.

### **Line Art**

Do not use hairlines (lines less than 1/2 point in width) in line drawings. Before inserting line drawings captured as EPS files, please convert all fonts to outlines, if possible, to ensure that no

font information is lost. Line art must be scanned (or computer generated) at a resolution of 600 dpi.

### **Scanned Images**

Scanned images, e.g., line art, photographs, etc., can be used if the output resolution is at least equal to 600 dpi.

### **Gray-Scale Images**

Gray-scale images (including photographs) must be scanned (or computer generated) at a resolution of 300 dpi.



# AMERICAN NUCLEAR SOCIETY

555 North Kensington Avenue, La Grange Park, Illinois 60526 USA

Telephone: (708) 579-8253 \* Telecopier: (708) 352-6464 \* E-Mail: NUCLEUS@ans.org

**REPLY TO: PUBLICATIONS DEPARTMENT**

## AGREEMENT ON COPYRIGHT

Certain rights under copyright to the article (paper number: \_\_\_\_\_ ) submitted with the title

by \_\_\_\_\_ (the "Assignor")  
are assigned to the American Nuclear Society (ANS), effective when the article ("work") is accepted for presentation or publication by ANS, and secured by ANS registration of publication collective works of which this article will be a part.

The Assignor (author or authors) warrants that he has full right to make this Agreement, that his work does not violate the rights of other persons nor infringe upon any existing copyrighted work. If copyrighted material of a third party is included, the Assignor agrees that he will obtain required permission for its reuse.

The Assignor retains the right to reproduce this article for his own use. Also, the Assignor keeps the right to use all or part of the work in future works he prepares--but not within six months after ANS publishes this article, unless agreed to by ANS.

The Assignor also retains the right to grant to third parties permission to republish all or part of the work, provided written permission also is given by ANS. Proprietary rights other than copyrights, such as patent rights, also are retained by the Assignor.

If the Assignor is acting for other authors, their rights are retained or transferred in the same manner under this Agreement.

If the author(s) created this work while employed by the U.S. Government or one of its contractors, and within the scope of such employment, the U.S. Government is granted a nonexclusive royalty-free license to publish, republish, or reproduce the work or to allow others to reproduce this work for U.S. Government purposes.

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Print Name

\_\_\_\_\_  
Print Name

\_\_\_\_\_  
Address

\_\_\_\_\_  
Address

\_\_\_\_\_  
City/State

\_\_\_\_\_  
City/State

Below: To be signed for ANS and returned to the Assignor  
The above-identified work is accepted for

AMERICAN NUCLEAR SOCIETY

publication in the "Proceedings of Nuclear and Emerging  
Technologies for Space 2009"

By \_\_\_\_\_  
Manager of Publications Date

The American Nuclear Society, Inc., a corporation of the State of New York, has its principal place of business at  
555 North Kensington Avenue, La Grange Park, IL 60526, USA